SINGLE WALL OVEN (WAS-30)

30 in. Professional True Convection Single Wall Oven with Air Fry and Self Clean

ZLINE ATTAINABLE LUXURY®

WAS-30 Stainless Steel

Comes standard with 1 air fry basket and temperature probe



Black Stainless Steel



Satin Stainless Steel



GENERAL PROPERTIES

SKUs	WAS-30, WASS-30, WASB-30
Base Finishes	Stainless Steel, Satin Stainless Steel, Black Stainless Steel
Fuel Type	Electric
Control Type	Touch Screen Panel
Mount Type	Wall Mount
Timer	Yes
Material	Stainless Steel
Capacity	5.0 cu. ft
Certification	ETL

DIMENSIONS AND WEIGHT

Product Dimensions	29 7/8" W x 24 1/2" D x 28 5/8" H
Cutout Dimensions	28 7/8" W x 24" D x 27 9/16" H
Product Weight	179 lb (79.83 kg)

OVEN FEATURES

Interior Dimensions	24 7/8" W × 17 1/2" D × 18 7/8" H
Self-Clean	Yes
Oven Lighting	(2) Halogen
Oven Features	Bake, Broil, Convection Bake
Convection Fan	Yes
Number of Racks	2 (1 Stationary & 1 Telescoping)
Child Lock	Yes
Sabbath Mode	Yes
Warm and Proof Mode	Yes

FEATURES AND BENEFITS

True Convection Cooking: Rely on precise and even heating for every homemade dish with Convection Bake, Convection Roast, and Convection Broil modes.
Air Fry Mode: A powerful Air Fry mode is specially designed for oil-free frying of foods with a convenient and easy-to-clean basket.
Versatile Options: Achieve ideal electric heating and baking results inside a 5.0 cu. ft. oven featuring a high-caliber cooling fan that prevents overheating.
Digital Display: An innovative touchscreen control panel makes it easy to select multiple cooking options and other settings with a gentle touch.
Child Lock: The child lock feature on the touchscreen panel prevents unintended operation of the single wall oven.
Reliable Results: A built-in heat-detecting temperature probe helps meals reach desired results with accurate temperature readings.
Sabbath Mode: A convenient Sabbath Mode feature enables optimal energy efficiency by only utilizing the Standard Bake function for up to 72 hours.
Warm and Proof Modes: Ensure breads, cakes, and other baked goods rise to perfection with user-friendly Warm and Proof modes with flexible temperature options.
Cook With Ease: Oven includes one telescoping oven rack, one stationary oven rack, an air fry basket, and a broil pan and tray to handle various culinary endeavors.
Self-Cleaning Technology: Experience fast and easy cleanup with the touch of a button, or utilize a helpful delay-cleaning feature to best work with your schedule.

OVEN WATTAGE

Broil Output	3600 W
Bake Output	2200 W

ELECTRICAL REQUIREMENTS

240 V / 60 Hz / 20 A Dedicated Circuit, Hardwired Connection

LIMITED WARRANTY

Manufacturing Warranty: 1-year parts and labor.
**Appliance protection plans sold separately, contact for more information.*




SINGLE WALL OVEN (WAS-30)

30 in. Professional True Convection Single Wall Oven with Air Fry and Self Clean

ZLINE ATTAINABLE LUXURY®


ELECTRICAL JUNCTION BOX COMPONENTS	
A	Junction Box
B	Black Wires
C	Neutral (White) Wires
D	Ground (Green or Bare) Wire
E	Cable from Oven
F	UL Listed Conduit Connector
G	Red Wires
H	UL Listed Wire Connectors
I	Home Electrical Supply

ELECTRICAL JUNCTION BOX



NOTE: The cabinet cutouts below allow for a minimal 1/4" (6 mm) gap for width and height, or 1/8" (3 mm) on each side. These cutouts ensure appropriate space to mount the unit into the cabinet cutout.

INSTALLATION DESCRIPTION		UNDER COUNTER COOKTOP	OVEN IN CABINET
A	Width (cutout)	28 7/8" (733 mm)	28 7/8" (733 mm)
B	Height (cutout)	27 9/16" (700 mm)	27 9/16" (700 mm)
C	Depth (cutout)	24" (610 mm)	24" (610 mm)
D	Top of Cutout to Bottom of Upper Cabinet Door	N/A	1 1/2" (38 mm)
E	Bottom of Cutout to Floor (recommended)	5 1/4" (133 mm)	32" (813 mm)
F	Bottom of Cutout to Top of Cabinet	N/A	1 1/2" (38 mm)




Electrical Junction Box Location
***NOTE:** Junction box may be located in adjacent cabinet*

INSTALLATION RESOURCES

Installation / User Manual	Click Here

TECHNICAL DIMENSIONS

A	28 5/8" (727 mm) Height (overall)
B	28 5/8" (727 mm) Height (overall)
C	27 5/16" (694 mm) Height (recessed)
*D	23 1/2" (597 mm) Depth (recessed)
E	29 7/8" (759 mm) Width (overall)



**From back of unit to cabinet face. The full depth of the unit, including the front frame, is 24 1/2" (610 mm). Full depth including the handle is 27 1/2" (699 mm).*

AUTOGRAPH EDITION

Stainless Steel With
Matte Black Handle



STAINLESS STEEL

Polished Gold	WASZ-30-G
Champagne Bronze	WASZ-30-CB
Matte Black	WASZ-30-MB

Satin Stainless Steel With
Champagne Bronze Handle



SATIN STAINLESS STEEL

Polished Gold	WASSZ-30-G
Champagne Bronze	WASSZ-30-CB
Matte Black	WASSZ-30-MB

Black Stainless Steel With
Polished Gold Handle



BLACK STAINLESS STEEL

Polished Gold	WASBZ-30-G
Champagne Bronze	WASBZ-30-CB

HELIX AUTOGRAPH EDITION

Stainless Steel With
Polished Nickel Helix Handle



STAINLESS STEEL

Polished Gold	WASZ-30-KG
Champagne Bronze	WASZ-30-KCB
Polished Nickel	WASZ-30-KPN


Black Stainless Steel With
Polished Gold Helix Handle



BLACK STAINLESS STEEL

Polished Gold	WASBZ-30-KG
Champagne Bronze	WASBZ-30-KCB

Autograph Edition Includes: Autograph Edition Handle



STANDARD HELIX HANDLE SET (SET OF 1)

Stainless Steel	Black Stainless Steel
AWHZ-30-K-ST	AWHZ-30-K-BS



AUTOGRAPH HELIX HANDLE (SET OF 1)

Polished Gold Helix Handle	AWHZ-30-K-G
Champagne Bronze Helix Handle	AWHZ-30-K-CB
Matte Black Helix Handle	AWHZ-30-K-MB
Polished Nickel Helix Handle	AWHZ-30-K-PN

SINGLE WALL OVEN (WAS-30)

30 in. Professional True Convection Single Wall Oven with Air Fry and Self Clean

ZLINE ATTAINABLE LUXURY®

WALL OVEN + COLORED DOOR

Stainless Steel With White Matte Door



STAINLESS STEEL		SATIN STAINLESS STEEL	
White Matte Door	WAS-WM-30	White Matte Door	WASS-WM-30

AUTOGRAPH ACCENT COLORS



BASE FINISHES



CONTACT INFORMATION

PHONE

Customer Service
1-614-777-5004

Dealer Assistance
1-833-597-2461

HOURS OF OPERATION

Customer Service
Monday–Friday 6:00am–4:30pm CST

Dealer Assistance
Monday–Friday 7:00am–4:00pm CST

EMAIL

Customer Service
contact@zlinekitchen.com

Dealer Assistance
dealer@zlinekitchen.com

© 2026 ZLINE Kitchen and Bath, LLC. All rights reserved. ZLINE reserves the right to make changes at any time to its products, designs, specifications and/or features without notice. No part of this document may be reproduced, distributed, or used in any form without the express written permission of ZLINE.