FRIGIDAIRE

LFHB2751TF

Comparable to model FFHB2750T; Exclusive features noted by ONLY AT LOWE'S

FRENCH DOOR REFRIGERATOR

26.8 CU. FT. STANDARD-DEPTH





FRIGIDAIRE
FINGERPRINT RESISTANT STAINLESS STEEL
RESISTS FINGERPRINTS AND EASY TO CLEAN WITH EasyCare
EXCLUSIVELY AT LOWE'S

AVAILABLE COLORS

F
Stainless

SIGNATURE FEATURES

Adjustable Interior Storage

Over 100 ways to organize and customize your refrigerator.

PureSource Ultra® II Water Filtration

Discover how our genuine filtration works to keep your water cleaner. PureSource Ultra® II Water Filters remove 99.3% of lead and 99.9% of cysts from your household water.

ONLY AT LOWE'S

EasyCare™ Stainless Steel

A protective coating on stainless steel that reduces fingerprints and smudges, making it easier to clean & keep clean.

Multi-Level LED Lighting

Corner-to-corner LED lighting throughout the refrigerator for better visibility.

PRODUCT DIMENSIONS

Height (Including Hinges & Rollers)	69-7/8"
Width (Doors)	36"
Depth (Including Door)	33-3/8"

MORE EASY-TO-USE FEATURES

Store-More™ Bins
Our gallon-size bins are designed to store more, so you can fit a gallon of milk.

Effortless™ Glide Crisper Drawers
Our humidity-controlled crisper drawers can be configured any number of ways, either side-by-side or stacked on top of each other so you can organize your refrigerator the way you want.

Store-More™ Shelves
More space to store your food with edge-to-edge shelves.

Freezer Basket with Divider
Deep freezer storage with adjustable divider keeps food organized and accessible.

Effortless™ Glide Freezer Drawers
Drawers glide out smoothly and fully extend, giving you easy access to what's inside.

Dual Ice Ready
Be ready for any occasion with an option for a second icemaker.

CERTIFICATIONS

ENERGY STAR®

Star-K® Certified *(Sabbath Mode)*

LFHB2751TF
FRENCH DOOR REFRIGERATOR
26.8 CU. FT. STANDARD-DEPTH

FRIGIDAIRE

FEATURES

Color ONLY AT LOWE'S	EasyCare™ Stainless Steel
Counter-Depth Design	

EXTERIOR FEATURES

Door Design	Tall Curved
Handle Design	Stainless Steel
Cabinet Color & Finish	Grey Textured

CONTROL FEATURES

Touch Controls	Yes
Control Panel Location	Dispenser
Display On/Off	Yes
Water Filter Change Indicator Light	Yes
Air Filter Change Indicator Light	
Supplemental Ice	
Supplemental Freeze	
High Temp Alert	
Door Ajar Alert	Yes
Power Failure Alert	

DISPENSER

Water	Yes
Cubed Ice/Crushed Ice	Yes
Light	Yes

REFRIGERATOR FEATURES

Lighting	Dual-Level LED
Half-Width Flat Edge Shelves	3 Fixed Store-More™
Quarter-Width Flat Edge Shelves	1 Store-More™
Adjustable Shelves	Yes
Full-Width Cool Zone™ Drawer	Yes
Crisper Drawers	2 Clear
Store-More™ Door Bins	1 Clear
Adjustable Gallon Door Storage	2 Clear
Fixed Gallon Door Storage	2 White
Dairy Compartment	
6-Can Dispenser	
Small Door Bin with Bottle Retainer	Yes (Half-Gallon)
Non-Slip Bin Liners	
Hanging Wine Rack	
Water Filter Type	PureSource Ultra® II
Air Filter Type	

FREEZER FEATURES

Self-Closing Pull-Out Drawer	Yes
Effortless™ Glide Freezer Baskets	2
Adjustable Divider	1
Lighting	LED

ICE MAKER

Primary Ice Maker (Location)	Yes (Fresh Food Section)
Second Ice Maker (Location)	Optional (Freezer)

CERTIFICATIONS

ENERGY STAR®	Yes
Star-K® Certified (Sabbath Mode)	Yes

SPECIFICATIONS


Total Capacity (Cu.Ft.)	26.8
Refrigerator Capacity (Cu.Ft.)	18.1
Freezer Capacity (Cu.Ft.)	8.7
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	365 Lbs.

PRODUCT DIMENSIONS

A - Height (Including Hinges & Rollers)	69-7/8"
B - Cabinet Width/Door Width	35-7/8"/36"
C - Depth (Including Door)	33-3/8"
Depth with Door Open 90°	47-3/8"
Depth with Drawer Fully Extended (Including Handle)	55"

"BUILT-IN LOOK" CUTOUT DIMENSIONS

Height (Including Hinges and Rollers)	70-1/4"
Width	36"
Depth	25"



Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at lowes.com/frigidaire.


Specifications subject to change. *Accessories information available on the web at* ***lowes.com/frigidaire***

FRIGIDAIRE
USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • **frigidaire.com**
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • **frigidaire.ca**

LFHB2751T 09/17
©2017 Electrolux Home Products, Inc.


LFHB2751TF
FRENCH DOOR REFRIGERATOR
26.8 CU. FT. STANDARD-DEPTH


FRIGIDAIRE




"Built-In Look" Cutout Dimensions

(A) 70 1/4" (B) 36" (C) 28 7/8"







INSTALLATION SPECIFICATIONS

- Product Shipping Weight (approx.) – 365 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating – 120V/60 Hz/15 or 20 Amps
- Connected Load (kW Rating)@120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer/crisper access and removal. *(Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer/crisper access with restricted removal.)*
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure – Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

"BUILT-IN LOOK" SPECIFICATIONS

- Minimum opening of 70-1/4"H x 36"W x 28-7/8"D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.

OPTIONAL ACCESSORIES

- Second Ice Maker Kit – (PN# IMK0028A)

Note: *For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at lowes.com/frigidaire.*

Specifications subject to change. *Accessories information available on the web at* ***lowes.com/frigidaire***

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • **frigidaire.com**
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • **frigidaire.ca**

LFHB2751T 09/17

©2017 Electrolux Home Products, Inc.