UNIVERSAL 18" DISHWASHER


UDT165SIVII



SPECIFICATIONS

Overall Width	17 3/4" (45.1 cm) (Includes tub trim)
Overall Height	32 1/2" (82.6 cm) Min 34 5/8" (87.9 cm) Max
Overall Depth	23 1/2" (59.7 cm) (Includes 3/4" panel)
Door Clearance	23 1/8" (58.7 cm)
Overall Dishwasher Capacity	8 Place Settings
Minimum Cabinet Width	17 3/4" (45.1 cm)
Minimum Cabinet Depth	23 5/8" (60.0 cm)
Cutout Width	17 3/4" (45.1 cm) Min 18" (45.7 cm) Max
Cutout Height	32 1/2" (82.6 cm) Min 34 3/4" (88.3 cm) Max
Electrical Requirements	8.9 A
Hose Length	No more than 12' (3.7 m)
Voltz/Hertz/Amps	120 V, 60 Hz, 15 or 20 amp circuit
Shipping Weight	77 lb (35 kg)

OVERALL DIMENSIONS




Dimensions in parentheses are in centimeters unless otherwise noted.


ADA COMPLIANT

ENERGY STAR

INSTALLATION




FLUSH CUTOUT INSTALLATION



INSTALLATION CUTOUT FRONT VIEW

CUSTOM PANEL



E

NOTES

A The dishwasher drain hose must be no more than 12 feet in length for proper drainage.

B A reduced-height installation (32-1/2" min.) beneath a 34" countertop can be accomplished.

C Water and electrical must be routed through the back wall shown in shaded area.

D To prevent siphoning, an air gap or high drain loop must be used.

E A custom panel installation template (Pub. No. 31-4000281-1) is available from GE Parts and Accessories (US 800.626.2002, Canada 800.561.3344).

SPECIAL NOTES

The custom door panel and custom handle of your choice should be secured to the dishwasher before installation begins. A template with instructions and installation hardware is provided.

For planning purposes, you may order the template in advance by calling 1.800.GE.CARES (1.800.423.2737) or by visiting our website at GEAppliances.com in the United States.

In Canada, call 1.800.561.3344 or visit www.GEAppliances.ca. Order Pub. No. 31-4000281-1 Complete panel installation instructions are included on the template.

Maximum panel weight is 8 LBS (3.6 kg).

CUSTOM DISHWASHER DOOR PANEL TEMPLATE
GE PUB. NO. 31-4000281-1

CALL 1-800-626-2000

For a full-size panel template with complete panel installation instructions.

FEATURES AND BENEFITS

CUSTOM PANEL MODEL
Designed for personalization with customer-supplied cabinet-compatible panel and custom handle

HIDDEN, INTEGRATED ELECTRONIC CONTROLS
Allow easy activation of wash cycles: heavy wash, light wash and Auto Sense

THREE-LEVEL WASH SYSTEM
Provides effective, yet quiet cleaning power

NYLON GRAY RACKS WITH BALL-TIPPED TINES
Provide plenty of space and loading flexibility

PIRANHA™ HARD FOOD DISPOSER
Grinds food into small particles that are washed away

47 DBA
Ultra-quiet operation creates a peaceful kitchen environment even as it delivers powerful wash performance

