MRF43BA



42.63" x 19" x 17.88" (H x W x D)

Compact refrigerator-freezer combined with a fully-featured black in black with allocator and USB ports for 1-plug operation; ships in three boxes on one pallet

Highlights:

Microwave/refrigerator combination to meet general kitchen needs in dorms, offices, and other small spaces

Optional 24-hour plug-in timer to enable automatic defrost in the freezer compartment of this model

Compact size with a slim 19" width fits well in hotels and offices

Product Features:

Microwave/Refrigerator-Freezer Combination	Compact refrigerator-freezer and microwave with allocator offer a convenient 1-plug solution for food storage and heating
19" Wide Compact Refrigerator-Freezer	Slim-fitting refrigerator with freezer compartment for easy storage paired with a fully-featured microwave for hospitality settings
SM903BSA1 microwave	Compact microwave in white with window, stainless steel handle, and digital controls for easy operation
Easy assembly	Ships with two removable brackets that let you secure the microwave on top of the refrigerator
Built-in power allocator	Plug the refrigerator into the microwave's rear outlet for easy 1-plug operation that will temporarily disable the fridge while the microwave is in use to prevent power surges
(2) USB ports (microwave)	Charge your mobile devices through the pre-installed ports, located on the microwave's front for added convenience
One-touch cooking	Pre-programmed settings for potatoes, pizza, beverages, popcorn, frozen dinners, and reheating, as well as options for multi-stage cooking, cook by weight, and auto defrost
Right angle plug (microwave)	Microwave's cord design allows you to plug the unit in flush against the wall socket with no need to add extra depth

SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified
770 Garrison Avenue Bronx, NY 10474 USA **TEL** 718-893-3900 **FAX** 844-478-8799 info@summitappliance.com **www.summitappliance.com**


Timer Ver. 2	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 3	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 4	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 5	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 6	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 7	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 8	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 9	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 10	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 11	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 12	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 13	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 14	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 15	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 16	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 17	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 18	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 19	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 20	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 21	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 22	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 23	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 24	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 25	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 26	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 27	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 28	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 29	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 30	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 31	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 32	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 33	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 34	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 35	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 36	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 37	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 38	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 39	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 40	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 41	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 42	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 43	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 44	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 45	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 46	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 47	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 48	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 49	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 50	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 51	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 52	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 53	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 54	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 55	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 56	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 57	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 58	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 59	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 60	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 61	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 62	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 63	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 64	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 65	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 66	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 67	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 68	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 69	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 70	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 71	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 72	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 73	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 74	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 75	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 76	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 77	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 78	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 79	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 80	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 81	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 82	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 83	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 84	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 85	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 86	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 87	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 88	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 89	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 90	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 91	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 92	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 93	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 94	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 95	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 96	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 97	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 98	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 99	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.
Timer Ver. 100	Ships with a convenient timer accessory that lets you program a 2-3 hour 'off' period to ensure the freezer compartment does not build up ice and require defrosting. The unit can also function without the timer in standard manual defrost mode.


SUMMIT

MRF43BA Specifications:

Overview	
Height of Cabinet	42.63" (108 cm)
Width	19.0" (48 cm)
Width with Door Open	19.38" (49 cm)
Depth	17.88" (45 cm)
Depth with Handle	20.25" (51 cm)
Depth with door at 90°	37.38" (95 cm)
Capacity	3.0 cu.ft. (85 L)
Defrost Type	Cycle
Door	Black
Cabinet	Black
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Energy Usage/Year	230.0kWh/year
Amps	1.0
Voltage/Frequency	115 V AC/60 Hz
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101148823
Microwave-Refrigerator	
Refrigerator Included	FF43BADA
Refrigerator Door Swing	RHD
Reversible	Yes
Shelf Type	Plastic
Shelf Qty	1
Crisper Qty	1
Crisper Finish	Transparent
Crisper Cover	Plastic
Full Door Shelves	2
Can Storage	Yes
Thermostat Type	Dial
Interior Light	Yes
Refrigerant Type	R600a
Refrigerant Amount	0.71 oz.
High Side PSI	180.0
Low Side PSI	80.0
Refrigerator Interior Height	22.5" (57 cm)
Refrigerator Interior Width	15.0" (38 cm)
Refrigerator Interior Depth	13.75" (35 cm)

Freezer Interior Height	2.75" (7 cm)
Freezer Interior Width	12.5" (32 cm)
Freezer Interior Depth	13.75" (35 cm)
Compressor Step Height	7.75" (20 cm)
Compressor Step Width	15.0" (38 cm)
Compressor Step Depth	6.0" (15 cm)
Microwave Wattage	700.0
Microwave Controls	Digital
Specialized Cooking Buttons	Yes





SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified
770 Garrison Avenue Bronx, NY 10474 USA **TEL** 718-893-3900 **FAX** 844-478-8799 info@summitappliance.com **www.summitappliance.com**