FRIGIDAIRE




30" Front Control Gas Range with Convection Bake

Gas Range

Available Products: FCFG3083AS

Available Colors: Stainless Steel

Version: 05/23

## Product Specifications

### Cooktop

| | |
|---|---|
| Cooking Surface Type | Gas |
| Grate Material | Cast Iron |
| Grate Quantity | 3 |
| Grate Style | Continuous |
| Sealed Burners | Yes |

### Cooking Controls

| | |
|---|---|
| Bake | Yes |
| Bake Time | Yes |
| Broil | Yes |
| Child Lock | Yes |
| Clock | Yes |
| Convection Bake | Yes |
| Convection Roast | Yes |
| Cook Time | Yes |
| Delay Start | Yes |
| Keep Warm | Yes |
| Kitchen Timer | Yes |
| Off | Yes |
| Oven Light | Yes |
| Preheat | Yes |
| Self Clean | Yes |
| Start | Yes |
| Temperature Display | Yes |
| Timer On / Off | Yes |
| Up / Down Arrow | Yes |

### Oven

| | |
|---|---|
| Bake Element | 17000 BTU |
| Broil Element | 1400 Watts |
| Cleaning System | Yes |
| Convection | Yes |
| Convection Type | Fan |
| Number of Rack Positions | 6 |
| Oven Interior Color | Midnight Black |
| Oven Light Quantity | 1 |
| Oven Light Type | Halogen |
| Oven Light Watts | 40 Watts |
| Rack Position Type | Embossed |
| Rack Type 1 | Flat |
| Rack Type 1 Quantity | 2 |

### Cooktop Performance

| | |
|---|---|
| Right Front Element Burner | 18000 BTU |
| Right Rear Element Burner | 5000 BTU |
| Left Front Element Burner | 14000 BTU |
| Left Rear Element Burner | 10000 BTU |
| Center Rear Element Burner | 10000 BTU |

### Cooking Controls Function

| | |
|---|---|
| Change between Continuous Bake Setting or 12-Hour Energy Saving Feature | Yes |
| Delayed Bake | Yes |
| Program Fahrenheit or Celsius | Yes |
| Silent Control Panel | Yes |

### Drawer

| | |
|---|---|
| Drawer Type | Storage |

### Dimensions and Volume

| | |
|---|---|
| Minimum Height | 35 5/8" |
| Maximum Height | 36 3/8" |
| Width | 30" |
| Depth | 26" |
| Depth With Door 90° Open | 47 1/4" |
| Depth With Handle | 28 1/2" |
| Oven Interior Height | 17 5/8" |
| Oven Interior Width | 25 3/16" |
| Oven Interior Depth | 19 7/8" |
| Oven Capacity | 5.1 Cu. Ft. |

### Installation

| | |
|---|---|
| Adjustable Leveling Legs | Yes |

### Certifications and Approvals

| | |
|---|---|
| ADA Compliant | Yes |

For planning purposes only. We reserve the right to change specifications or discontinue models without notice.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca
Electrolux Major Appliances, N.A.
USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

| | |
|---|---|
| 30" Front Control Gas Range with Convection Bake | Gas Range |
| Available Products: FCFG3083AS | Available Colors: Stainless Steel |
| Version: 05/23 | |

## Display

| | |
|---|---|
| Control Location | Front |
| Display Interface Color | White |
| Display Type | Capacitive Touch |

## Electrical Specifications

| | |
|---|---|
| Minimum Circuit Required | 12 Amps |
| Voltage Rating | 120 V |

## General Specifications

| | |
|---|---|
| Prop 65 Label | Yes |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |


## Safety Certifications and Approvals


| | |
|---|---|
| CSA Listed | Yes |

For planning purposes only. We reserve the right to change specifications or discontinue models without notice.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca
Electrolux Major Appliances, N.A.
USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

| | |
|---|---|
| 30" Front Control Gas Range with Convection Bake | Gas Range |
| Available Products: FCFG3083AS | Available Colors: Stainless Steel |
| Version: 05/23 | |

## Installation Diagram




*30" (762 mm) MINIMUM CLEARANCE BETWEEN THE TOP OF THE COOKING SURFACE AND THE BOTTOM OF AN UNPROTECTED WOOD OR METAL CABINET; OR 24" (610 mm) MINIMUM WHEN BOTTOM OF WOOD OR METAL CABINET IS PROTECTED BY NOT LESS THAN 1/4" (6 mm) FLAME RETARDANT MILLBOARD COVERED WITH NOT LESS THAN NO. 28 MSG SHEET STEEL, 0.015" (0.4 mm) STAINLESS STEEL, 0.024" (0.6 mm) ALUMINUM OR 0.020" (0.5 mm) COPPER. 0" (0 mm) CLEARANCE IS THE MINIMUM FOR THE REAR OF THE RANGE. FOLLOW ALL DIMENSION REQUIREMENTS PROVIDED ABOVE TO PREVENT PROPERTY DAMAGE, POTENTIAL FIRE HAZARD, AND INCORRECT COUNTERTOP AND CABINET CUTS.

